

Pleased and proud to have become a world brand with our customer satisfaction, innovative design & high quality production.

Index



With being the first minibar manufacturer in Turkey, DA Global has determined its policy to maintain its leading positionin the sector and to provide customer satisfaction-oriented service.

Our Highlights



Customer Focus

Prioritize providing valuable services to our customers.



Eco-friendly Products

Reduce the electricity consumption.



High-quality

Proof of our 70 years of experience.



Local Production

Based and Manufactured in Istanbul, Turkey.



































































ABSORPTION MINIBAR

Absorption System Minibars do not disturb yourhotel guests through unpleasant sounds. It is maintenance freedue to its advanced engineering technology.



DR 35 S		DRC	35 S
35 Liter Solid D	35 Liter Solid Door Hotel Minibar		oor Hotel Minibar
ADJUSTABLE SHELVES LED INTERIOR LIGHTNING (OPTIONAL)		ADJUSTABLE SHELVES LED INTERIOR LIGHTNING (OPTIONAL)	
	38.5 x 43 x 53.5 cm	Dimensions (W x D x H)	38.5 x 44 x 53.5 cm
Dimensions (W x D x H)			
Weight	12.6 kg	Weight	14.6 kg
Capacity	35 liters	Capacity	35 liters
Voltage	220 - 240 V	Voltage	220 - 240 V
Power	65 W	Power	65 W
Energy Consumption	0.90 kWh / 24h	Energy Consumption	0.90 kWh / 24h
Refrigerant Gas	NH3	Refrigerant Gas	NH3
Noise Level	0 dB	Noise Level	0 dB
Type of Cooling	Absorption	Type of Cooling	Absorption
Container Loading Capacity 20' / 40' without Pallets	108 / 390	Container Loading Capacity 20' / 40' without Pallets	108 / 390



DR 40 S		DRC 40 S		
40 Liter Solid Do	40 Liter Solid Door Hotel Minibar		40 Liter Glass Door Hotel Minibar	
ADJUSTABLE SHELVES LED INT	COMPLETELY SILENT ERIOR ING (OPTIONAL)	ADJUSTABLE SHELVES LED INTE	COMPLETELY SILENT ERIOR NG (OPTIONAL)	
Dimensions (W x D x H)	40.5 x 42 x 52.5 cm	Dimensions (W x D x H)	40.5 x 43.5 x 52.5 cm	
Weight	12.2 kg	Weight	15.2 kg	
Capacity	40 liters	Capacity	40 liters	
Voltage	220 - 240 V	Voltage	220 - 240 V	
Power	65 W	Power	65 W	
Energy Consumption	0.90 kWh / 24h	Energy Consumption	0.90 kWh / 24h	
Refrigerant Gas	NH3	Refrigerant Gas	NH3	
Noise Level	0 dB	Noise Level	0 dB	
Type of Cooling	Absorption	Type of Cooling	Absorption	
Container Loading Capacity 20' / 40' without Pallets	240 / 500	Container Loading Capacity 20' / 40' without Pallets	240 / 500	



DR 4	45 S	DRC	45 S
45 Liter Solid Door Hotel Minibar		45 Liter Glass Do	oor Hotel Minibar
ADJUSTABLE SHELVES LED INT LIGHTN	COMPLETELY SILENT TERIOR IING (OPTIONAL)	ADJUSTABLE SHELVES LED INTI	COMPLETELY SILENT ERIOR NG (OPTIONAL)
Dimensions (W x D x H)	40.5 x 47.5 x 57 cm	Dimensions (W x D x H)	40.5 x 48.5 x 57 cm
Weight	13.4 kg	Weight	15.8 kg
Capacity	45 liters	Capacity	45 liters
Voltage	220 - 240 V	Voltage	220 - 240 V
Power	65 W	Power	65 W
Energy Consumption	1.00 kWh / 24h	Energy Consumption	1.00 kWh / 24h
Refrigerant Gas	NH3	Refrigerant Gas	NH3
Noise Level	0 dB	Noise Level	0 dB
Type of Cooling	Absorption	Type of Cooling	Absorption
Container Loading Capacity 20' / 40' without Pallets	162 / 330	Container Loading Capacity 20' / 40' without Pallets	162 / 330



ABSORPTION MINIBAR All Black Edition



DRC 35 S ALL BLACK EDITION

35 Liter Glass Door Hotel Minibar	Dimensions (W x D x H)	38.5 x 44 x 53.5 cm
ADJUSTABLE COMPLETELY SILENT LED INTERIOR LIGHTNING	Weight	14.6 kg
	Capacity	35 liters
	Voltage	220 - 240 V
TOBLEROWS	Power	65 W
	Energy Consumption	0.90 kWh / 24h
	Refrigerant Gas	NH3
TORALBONE	Noise Level	0 dB
	Type of Cooling	Absorption
	Container Loading Capacity 20' / 40' without Pallets	108 / 390

DRC 45 S ALL BLACK EDITION


45 Liter Glass Door Hotel Minibar	Dimensions (W x D x H)	40.5 x 48.5 x 57 cm
ADJUSTABLE COMPLETELY SILENT LED INTERIOR LIGHTNING	Weight	15.8 kg
	Capacity	45 liters
	Voltage	220 - 240 V
TOBLEROWS	Power	65 W
	Energy Consumption	1.0 kWh / 24h
	Refrigerant Gas	NH3
TOBLERONE	Noise Level	0 dB
	Type of Cooling	Absorption
	Container Loading Capacity 20' / 40' without Pallets	162 / 390

Perfect INSTALLATION


All minibar - mini refrigerators can be integrated into suitable furniture. But it is important to provide appropriate ventilation. The air intake and exhaust openings must be at least 300 cm² each. It is essential to make sure that the ventilation screen cannot be closed or covered.


IMPORTANT: Absorption system minibars do not function optimally if the room temperature is over 32°C. The ideal room temperature should be between 20°C - 25°C. Climatized environment is recommended.






Correct Installations









INVERTER MINIBAR

Since it is an inverter compressor, it reduces the minibar electricity costs by 90%. Inverter Compressor Minibars work with 26-29 dB sound level (which is a very low level of noise) and provide much better cooling in hot outdoor environments compared to Absorption System Minibars.

A+++ The World's Least Electricity Consuming Minibar



INV-M40		INV-I	MC40
40 Liter Solid Door Inverter Minibar		40 Liter Glass Door Inverter Minibar	
LED INT	ERIOR LIGHTNING	LED INT	ERIOR LIGHTNING
ECO FRIENDLY	ADJUSTABLE SHELVES	ECO FRIENDLY	ADJUSTABLE SHELVES
Dimensions (W x D x H)	40.5 x 43.5 x 52.5 cm	Dimensions (W x D x H)	40.5 x 44.5 x 52.5 cm
Weight	14.3 kg	Weight	17.4 kg
Capacity	40 liters	Capacity	40 liters
Voltage	220 - 240 V	Voltage	220 - 240 V
Power	65 W	Power	65 W
Energy Consumption	0.15 kWh / 24h (A+++)	Energy Consumption	0.20 kWh / 24h (A+++)
Refrigerant	R600	Refrigerant Gas	R600
Noise Level	26-29 dB	Noise Level	26-29 dB
Type of Cooling	Inverter Compressor	Type of Cooling	Inverter Compressor
Container Loading Capacity 20' / 40' without Pallets	165 / 360	Container Loading Capacity 20' / 40' without Pallets	165 / 360



INV-M45		INV-MC45	
45 Liter Solid Door Inverter Minibar		45 Liter Glass Do	or Inverter Minibar
LED INT	ERIOR LIGHTNING	LED INTI	ERIOR LIGHTNING
ECO FRIENDLY	ADJUSTABLE SHELVES	ECO FRIENDLY	ADJUSTABLE SHELVES
Dimensions (W x D x H)	40.5 x 48.5 x 57 cm	Dimensions (W x D x H)	40.5 x 49.5 x 57 cm
Weight	16 kg	Weight	18.5 kg
Capacity	45 liters	Capacity	45 liters
Voltage	220 - 240 V	Voltage	220 - 240 V
Power	65 W	Power	65 W
Energy Consumption	0.15 kWh / 24h (A+++)	Energy Consumption	0.20 kWh / 24h (A+++)
Refrigerant	R600	Refrigerant Gas	R600
Noise Level	26-29 dB	Noise Level	26-29 dB
Type of Cooling	Inverter Compressor	Type of Cooling	Inverter Compressor
Container Loading Capacity 20' / 40' without Pallets	162 / 330	Container Loading Capacity 20' / 40' without Pallets	162 / 330



INVERTER MINIBAR All Black Edition

INV-MC40 ALL BLACK EDITION

40 Liter Glass Door Hotel Minibar	Dimensions (W x D x H)	40.5 x 44.5 x 52.5 cm
ADJUSTABLE SHELVES ECO-FRIENDLY LED INTERIOR LIGHTNING	Weight	17.4 kg
	Capacity	40 liters
	Voltage	220 - 240 V
Section 1	Power	65 W
9 9 0 0 A	Energy Consumption	0.13 kWh / 24h (A+++)
	Refrigerant Gas	R600
	Noise Level	26-29 dB
	Type of Cooling	Inverter Compressor
	Container Loading Capacity 20' / 40' without Pallets	165 / 360

INV-MC45 ALL BLACK EDITION

45 Liter Glass Door Hotel Minibar	Dimensions (W x D x H)	40.5 x 49.5 x 57 cm
ADJUSTABLE ECO-FRIENDLY LED INTERIOR LIGHTNING	Weight	18.5 kg
	Capacity	45 liters
	Voltage	220 - 240 V
	Power	65 W
	Energy Consumption	0.13 kWh / 24h (A+++)
	Refrigerant Gas	R600
	Noise Level	26 - 29 dB
	Type of Cooling	Inverter Compressor
	Container Loading Capacity 20' / 40' without Pallets	162 / 330



THERMOELECTRIC PELTIER MINIBAR

Thermoelectric Peltier Minibar provides completely silent cooling (0 dB) without any vibrations and any noise. On the other hand, Peltier model minibars are significant in terms of saving 70% less energy when compared to Absorption System Minibars.



PEL 40 S		PEL 4	10 CS
40 Liter Solid Door Peltier System Minibar		40 Liter Glass Door P	eltier System Minibar
ADJUSTABLE SHELVES ECO FRIENDLY	COMPLETELY SILENT LED INTERIOR LIGHTNING (OPTIONAL)	ADJUSTABLE SHELVES ECO FRIENDLY	COMPLETELY SILENT LED INTERIOR LIGHTNING (OPTIONAL)
Dimensions (W x D x H)	40.5 x 43 x 52.5 cm	Dimensions (W x D x H)	40.5 x 44.5 x 52.5 cm
Weight	15 kg	Weight	15 kg
Capacity	40 liters	Capacity	40 liters
Voltage	12 V	Voltage	12 V
Power	60 W	Power	60 W
Energy Consumption	0.275 kWh / 24h	Energy Consumption	0.375 kWh / 24h
Refrigerant	R600	Refrigerant Gas	R600
Noise Level	0 dB	Noise Level	0 dB
Type of Cooling	Peltier	Type of Cooling	Peltier
Container Loading Capacity 20' / 40' without Pallets	165 / 360	Container Loading Capacity 20' / 40' without Pallets	165 / 360



PEL 45 S PEL 45 CS 45 Liter Solid Door Peltier System Minibar 45 Liter Glass Door Peltier System Minibar **ADJUSTABLE** ADJUSTABLE **COMPLETELY SILENT** COMPLETELY SILENT **SHELVES SHELVES** LED INTERIOR LED INTERIOR **ECO FRIENDLY ECO FRIENDLY** LIGHTNING (OPTIONAL) LIGHTNING (OPTIONAL) 40.5 x 48.5 x 57 cm Dimensions (W x D x H) Dimensions (W x D x H) 40.5 x 48.5 x 57 cm Weight 16 kg Weight 16 kg 45 liters Capacity Capacity 45 liters Voltage 12 V Voltage 12 V Power 60 W 60 W Power **Energy Consumption** 0.295 kWh / 24h **Energy Consumption** 0.395 kWh / 24h Refrigerant R600 R600 Refrigerant Gas Noise Level 0 dB Noise Level 0 dB Type of Cooling Peltier Type of Cooling Peltier **Container Loading Capacity Container Loading Capacity** 162 / 330 162 / 330 20' / 40' without Pallets 20' / 40' without Pallets

Absorption System

Absorption Minibars are noiseless and vibrationless minibars which is the biggest reason that they are preferred by the hotels and hospitals. In this system, there is no mechanical equipment is used so it is completely silent and vibration free. Absorption System Minibars can cool between +4 to +14 degrees at ambient temperatures of +16 to +32 degrees. The cooling performance is calculated with DELTA-T constant value.

Inverter System

The Inverter Compressor System Minibars works with a BLDC motor and it has an algorithm that detects the need for cooling. The biggest advantage of this system is its very low electricity consumption. This system has A+++ energy label. Inverter System Minibars provide 90% less electricity consumption than Absorption System Minibars. The compressor makes 26 dB noise during start-stops, which is a very low level of noise and accepted by hotels.

Thermoelectric Peltier System

Thermoelectic Peltier Minibar provides completely silent cooling (0 dB) without any vibrations since they do not have any compressors nor fans. They are also remarkable in terms of saving 70% less energy with their high technical performance when compared to Absorption System Minibars.



HOTEL SAFES

Hotel safes provide best protection against the treat of unforeseeable burglary attack. They are built to accommodate the most commonly stored items with ease, such as laptops, hard drives & jewellery.



DR1219



DR1220





DR1225



Model	Features	Outer Dimensions	Weight
DR1225	Standard Size Electronic Safe	130 x 400 x 350 mm	12 kg
DR1225-L15	15" Laptop Size Electronic Safe	130 x 425 x 380 mm	13 kg

MS-L15-D



	LED INTERIOR LIGHTNING (INTERIOR CARPETING			
Model	Features	Outer Dimensions	Weight	
MS Standart	Standard Size Electronic Safe	350 x 250 x 250 mm	7.4 kg	
MS-L15-D	15" Laptop Size Electronic Safe	400 x 430 x 225 mm	10.2 kg	

MR-L15-D



LED INTERIOR LIGHTNING (III) INTERIOR CARPETING				
Model	Features	Outer Dimensions	Weight	
MR Standart	Standard Size Electronic Safe	350 x 250 x 250 mm	7.4 kg	
MR-L15-D	15" Laptop Size Electronic Safe	400 x 430 x 225 mm	10.2 kg	

FEATURES

Can be installed into a drawer with a damper kit.
Able to work with 3-6 digit user code.
Possibility of opening the safe 6 digits master code.
When the batteries run out, it is possible to open the safe with emergency unit (CEU) or with mechanical passkey from the outside.
15 min. self-blocking after 4 wrong operation. (Fine mode can be disabled.)
Fine mode can be adjusted as 15, 30, 45 and 60 minutes.
Low battery consumption with servo motor.
Works with 4 x 1,5V alkaline battery.
Possibility of hiring out the safe with a magnetic switch (Optional).
The last 100 operation can be printed out only in 1220 models (process, time, date, password).
Optional plug and cable connection inside the safe. (Especially for laptop size safes)
Motion-sensor lightning system is available inside the safe. (Only for MS models.)
Electrostatic power paint with different color options.



KETTLES & **KETTLE TRAYS**

Hotel kettle and kettle trays provide your customers with a stylish look and home comfort in the hotel room.



1 It Kettle Stainless Steel	304 quality steel body	
	1 lt water capacity	
	Hidden resistor	
	Wireless use	
	One button control system	
	High heat safety	
	Fast boiling properties	
1.2 It Kettle Stainless Steel	304 quality steel body	
	1.2lt water capacity	
	Hidden resistor	
	Wireless use	
	One button control system	
(1)	High heat safety	
	Fast boiling properties	
1.2 It Kettle Stainless Steel	304 quality steel body	
	1.2lt water capacity	
	Hidden resistor	
	Wireless use	
	One button control system	
	High heat safety	
	Fast boiling properties	
1.2 It Kettle Stainless Steel	304 quality steel body	
	1.2lt water capacity	
	Hidden resistor	
	Wireless use	
	One button control system	
	High heat safety	
	Fast boiling properties	



Wooden Tray — Light Walnut	Wooden Tray — Dark Walnut
350 x 200 x 300 mm	350 x 200 x 300 mm
Wooden Tray — Light Walnut	Wooden Tray — Dark Walnut
430 x 230 x 180 mm	430 x 230 x 180 mm
Wooden Tray — Light Walnut	Wooden Tray — Dark Walnut
500 x 300 x 300 mm	500 x 300 x 300 mm



Wooden Tray — Light Walnut	Wooden Tray — Dark Walnut
430 x 230 x 250 mm	430 x 230 x 250 mm
Wooden Tray — Light Walnut	Wooden Tray — Dark Walnut
500 x 200 x 300 mm	500 x 200 x 300 mm
Wooden Tray — Light Walnut	Wooden Tray — Black
500 x 200 x 300 mm	430 x 225 x 300 mm
ABS Tray 1	ABS Tray 2
333 x 384 x 420 mm	350 x 380 x 770 mm



HAIR DRYERS

With hair dryers, which are important indicators of the service quality and prestige of your business, you can increase the number of happy customers and leave your competitors behind as a company that has thought about the smallest details.



OTELLO PRO		0	OTELLO PRO	
Hotel Hair Dryer			Hotel Hair Dryer	
8		\$5	MANAGEMENT OF THE PARTY OF THE	
Weight	582 g	Weight	582 g	
Power	1600W	Power	2000 W	
Sound Level	68 dB	Sound Level	68 dB	
Temperature	3 Stage	Temperature	3 Stage	
OTELLO PRO SPIRAL		OTELL	OTELLO PRO SPIRAL	
Н	otel Hair Dryer	Но	Hotel Hair Dryer	
	Management of the second of th	WINITIANISM	THE PRO	
Weight	582 g	Weight	582 g	
Power	1600 - 2000 W	Power	1600 - 2000W	
Sound Level	68 dB	Sound Level	68 dB	
Temperature	3 Stage	Temperature	3 Stage	



PLATINUM SPIRAL		PLATINUM PURE	
Hotel Hair Dryer		Hotel Hair Dryer	
Weight 311 g			
Weight	311 g	Weight	311 g
Power	1350 W	Power	1350 W
Sound Level	64 dB	Sound Level	64 dB
Speed	2 Stage	Speed	2 Stage
PLATIN	UM FLAT	PLATINUM FLAT ENERGY	
Hotel I	Hair Dryer	Hotel Hair Drye	er with Shaving Socket
Weight	311 g	Weight	311 g
Power	1350 W	Power	1350 W
Sound Level	64 dB	Sound Level 64 dB	
		Sound Level 64 dB	



PLATINUM COMPACT		PLATINUM	PLATINUM COMPACT ENERGY	
Hotel Hair Dryer		Hotel Hair	Hotel Hair Dryer with Shaving Socket	
Weight	311 g	Weight	311 g	
Power	1350 W	Power	1350 W	
Sound Level	64 dB	Sound Level	64 dB	
Speed	2 Stage	Speed	2 Stage	
CON	ICEPT SPIRAL	CO	CONCEPT PURE	
	Hotel Hair Dryer	Ho	Hotel Hair Dryer	
Concept Concept		alla		
Weight	278 g	Weight	278 g	
Power	1350 W	Power	1350 W	
Sound Level	64 dB	Sound Level	64 dB	
Speed	1 Stage	Speed	1 Stage	



CONCEPT FLAT		CONCEPT FLAT ENERGY	
Hotel Hair Dryer		Hotel Hair Dryer	
Weight	278 g	Weight	278 g
Power	1350 W	Power	1350 W
Sound Level	64 dB	Sound Level	64 dB
Speed	1 Stage	Speed	1 Stage
CONCEPT	COMPACT	CONCEPT COMPACT ENERGY	
Hotel H	lair Dryer	Hotel Hair Dryer	
S S S S S S S S S S S S S S S S S S S			
Weight	278 g	Weight	
	**Millian		
Weight	278 g	Weight	278 g



ASOS		ASOS SPIRAL	
Hotel Hair Dryer		Hotel Hair Dryer	
Weight 261 g		The step Asos	
Weight	261 g	Weight	261 g
Power	1350 W	Power	1350 W
Sound Level	64 dB	Sound Level	64 dB
Speed	2 Stage	Speed	2 Stage
ОТІ	ELLO	OTELLO SPIRAL	
Hotel I	Hair Dryer	Hotel Hair Dryer	
Weight 244 g			etap Otello
,mmmm	MARININAME	THINININININININININININININININININININ	
Weight	MANAGE 244 g	Weight	244 g
Weight Power	244 g 1350 W	Weight Power	244 g 1350 W
		J	



WINE COOLERS

Designed with special technologies for cooling purpose, offer a perfect storage area for wines that are especially desired to be aged, as well as those produced for daily consumption.



WINE CUBE F		WINE CUBE S		
Wine Cooler		Wine Cooler		
		Bibliometh Co.		
Without Digi	tal Display	With Di	gital Display	
LED INTERIOR LIGHTNING		LED INTERIOR LIGHTNING		
CLIMATIZED QUIET AND NON-VIBRATING		CLIMATIZED ENVIRONMENT	QUIET AND NON-VIBRATING	
Dimensions (W x D x H)	575 x 590 x 430 mm	Dimensions (W x D x H)	575 x 590 x 470 mm	
Weight	25 kg	Weight	27 kg	
Capacity	18 Bottles	Capacity	18 Bottles	
Voltage	220 - 240 V	Voltage	220 - 240 V	
Power	80 W	Power 80 W		
Energy Consumption	1.5 kWh / 24h	Energy Consumption	1.5 kWh / 24h	
Refrigerant	NH3	Refrigerant	NH3	
Noise Level	0 dB	Noise Level	0 dB	
Type of Cooling	Absorption	Type of Cooling	Absorption	

^{*}Please see the installation details on the page of 15.

^{*}Climatized environment is recommended.



LEATHER **EQUIPMENTS**

Long-lasting and durable products: designed for use in hotel rooms, lounges and offices. Find out equipments from tissue holder boxes, garbage bins to service trays.















FLOOR **EQUIPMENTS**

Long-lasting and durable products: designed for use in hotel rooms, lounges and offices. Find out equipments from floor trolleys, cleaning stuffs to vacuum cleaners.



FANTOM PROCART FLOOR TROLLEY



FANTOM PROCART SERVICE TROLLEY 230



FANTOM HOUSEKEEPING TROLLEY 2 BAGS



FANTOM PROCART SERVICE TROLLEY



FANTOM HOUSE KEEPING TROLLEY 1 BAG



FANTOM PROCART SERVICE TROLLEY









